


June 6th, 2022

An Update on COVID-19 in Chile

More than 57.1 million vaccines have been administered, with 92.4% of the target population completing the process (86.5% in the population under 18 years and 93.9% in the population over 18 years). Chile stands out for being the country with the largest share of population vaccinated with booster doses, reaching 77.2 per 100 inhabitants. In total, 14.6 million booster doses have been administered. Chile has begun the 4th dose vaccination process for people over 18 years old.




Source: Our World in Data; (*) Chile's figure is calculated using the Ministry of Health data.

Emirates

Chile has received more than 60.7 million vaccines, mostly from SINOVAC and Pfizer-BioNTech.

Kingdom








June 6th, 2022

During last week cases have slightly increased as well as PCR test positivity rates. ICU occupancy levels, deaths and hospital capacity remain at moderate levels.

COVID-19 Cases in Chile

Ministerio de Hacienda

Gobierno de Chile




From April 14, 2022, the Chilean government updated the plan step by step, considering three types of health impact phases: low, medium and high. Thus, the sanitary restrictions in border controls have been relaxed.


Share of Population per Phase People, Data through June 6th

Nationwide Mobility

PCR Test Positivity Rate

Percent deviation with respect to pre-Covid levels





www.hacienda.cl Authorized for public distribution





Ministerio de Hacienda

June 6th, 2022


ICU patients have decreased in last weeks, critical bed capacity has moderated.

Critical beds







COVID-19 related Deaths People, Data through June 2nd.




ICU patients have decreased in all age groups during last weeks. The average age of ICU patients has stabilized around 68 years.



People, Data through June 5th.



Average Age of ICU patients in Chile Age, data through June 5th.



Source: Ministry of Health